




EVVA AirKey Proximity Wall Reader



Description

The EVVA AirKey Wall Reader is an attractive, sleek and practical unit, combining superior design with high-quality materials. It is designed to be used with the AirKey Wall Reader Control Unit and is suitable for controlling electronic locking components in all types of applications, including sliding and swinging doors, lifts and turnstiles. The AirKey Wall Reader is IP65 rated meaning it is suitable for both indoor and outdoor use, with a working temperature between -25°C and +70°C. The unit is CE certified and is supplied complete with all required seals and fixings. It is easy to install with no special assembly tool required.



IP65 Ingress Protection Rating



Weather Resistant









Wireless Data Connection

Features

- Slim design with attractive 4mm glass front panel
- Easy to install with no special assembly tool required
- Options available for both flush and surface mounting
- Designed for use with the AirKey Wall Reader Control Unit
- Ideal for many applications including sliding doors, turnstiles and revolving doors
- Weatherproof - IP65

Product Table

	<div>L31684</div> <div>Flush Black</div>
	<div>L31686</div> <div>Flush Silver</div>
	<div>L31685</div> <div>Flush White</div>
	<div>L31687</div> <div>Surface Black</div>
	<div>L31688</div> <div>Surface Silver</div>
	<div>L31689</div> <div>Surface White</div>